

"CON-DOR"™

CONDENSATE NEUTRALIZATION PRODUCTS pat. pend.

- APPLICATIONS— FUEL BURNING CONDENSING BOILERS.
FUEL BURNING CONDENSING WATER HEATERS.
EXHAUST STACK DRAINS.
NEUTRALIZES CONDENSATE TO 7.0 pH. FOR SAFE
DISCHARGE INTO SEWER, SEPTIC OR OTHER DRAINS.
- CODES— COMPLIES WITH SECTION 314.
2006 MICHIGAN PLUMBING CODE.
- AGENT— CALCIUM CARBONATE CaCO_3
- SIZES— SIZES AVAILABLE TO 6000 MBH 6 GPH.
MOUNTING HARDWARE INCLUDED.
- DESIGNERS— SPECIFY "CON-DOR"™ ON YOUR NEXT
LEED PROJECT.


"CON-DOR"™ 100% AMERICAN MADE.
MANUFACTURED IN MICHIGAN.



G.M. SERVICES & MANUFACTURING
PHONE: (586)-214-9850
FAX: (586)-838-5299
e-mail: gecomenov@wideopenwest.com

"CON-DOR"™

CONDENSATE NEUTRALIZATION PRODUCTS pat. pend.



PLAN.

CUSTOM SIZES AND FABRICATION AVAILABLE.

MODEL	MBH	DIA.	INL/OTL.	O.A.L.	O.A.Ht.	A	LIST
CON-200-N	200	2"φ	1/2" MPT. 1/2" BARB	16"	4 1/2"	4"	CALL
CON-200-R	200	2"φ	1/2" MPT.	16"	4 1/2"	4"	CALL
CON-400-R	400	3"φ	3/4" MPT.	16"	5 3/4"	6"	CALL
CON-500-R	500	3"φ	3/4" MPT.	16 1/2"	5 3/4"	6"	CALL
CON-1,000-R	1,000	3"φ	3/4" MPT.	17 1/2"	5 3/4"	6"	CALL
CON-2,000-R	2,000	3"φ	3/4" MPT.	18 1/2"	5 3/4"	6"	CALL
CON-4,000-R	4,000	4"φ	1" MPT.	17 1/2"	7"	8"	CALL
CON-6,000-R	6,000	4"φ	1" MPT.	18 1/2"	7"	8"	CALL

CON-200-N - NON RECHARGABLE
 CON-200-R -RECHARGABLE

TEST ALL "CON-DOR"™ AFTER 1,000 FIRING HOURS.
 RECHARGE AS REQUIRED.


APLICATIONS-- FUEL BURNING CONDENSING BOILERS.
 FUEL BURNING CONDENSING WATER HEATERS.
 EXHAUST STACK DRAINS.
 NEUTRALIZES CONDENSATE TO 7.0 pH. FOR SAFE
 DISCHARGE INTO SEWER, SEPTIC OR OTHER DRAINS.

CODES-- COMPLIES WITH SECTION 314.
 2006 MICHIGAN PLUMBING CODE.

AGENT-- CALCIUM CARBONATE CaCO₃
 SIZES-- SIZES AVAILABLE TO 6000 MBH 6 GPH.
 MOUNTING HARDWARE INCLUDED.


DESIGNERS-- SPECIFY "CON-DOR"™ ON YOUR NEXT
 LEED PROJECT.

"CON-DOR"™ 100% AMERICAN MADE.
 MANUFACTURED IN MICHIGAN.



G.M. SERVICES & MANUFACTURING


PHONE: (586)-214-9850
 FAX: (586)-838-5299
 e-mail: geomenov@wideopenwest.com



CONDENSATE NEUTRALIZATION PRODUCTS

G.M. SERVICES & MANUFACTURING

PHONE: (586)-214-9850
FAX: (586)-838-5299
e-mail: geomenov@wideopenwest.com



DATA COLLECTED FROM MULTIPLE MANUFACTURERS UNITS.

"CON-DOR"® IS SIZED FOR ANY APPLIANCE.

- ① 2000 MBH INPUT.
- ② 1000 MBH INPUT.
- ③ 500 MBH INPUT.

"CON-DOR"® 100% AMERICAN MADE.